

MB31 认证报告

Product Certification

Liquid Cooling Battery Cluster

UN38.3

版本 Version V1.0

编制：解决方案中心

Prepared by: ESS Solution Centre



武汉亿纬储能有限公司

EVE Energy Storage Co., Ltd.

地址：武汉东湖新技术开发区光谷大道 77 号

Address: No. 77, Guanggu Avenue, East Lake High-Tech Development Zone, Wuhan, Hubei, China

Website: www.evebattery.com

武汉亿纬储能有限公司

EVE Energy Storage Co., Ltd.

本文件涉及武汉亿纬储能有限公司核心技术机密，未经武汉亿纬储能有限公司允许,任何人不得将本文件用于商业用途。

This document is the property of EVE Energy Storage Co., Ltd. No rights are granted to use this document for any purpose without the permission of EVE.

修订履历 Change history

序号 No.	版本 Version	修订日期 Date	修订内容 Contents	修订人 Revised by
1	1.0	2024-02-19	首版发行 First release	/

1. UN38.3 报告

		广州海关技术中心				
GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER						
地址: 中国广东省广州市天河区珠江新城花城大道66号B座 邮编Postcode: 510628						
Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, Guangdong, P.R.C						
电话Tel: 020-22131000 邮箱Email: ppdc@iqtcnet.cn 网址Website: https://www.iqtcnet.cn						
		No:		01112300005127-1(E)		
		Date:		2024-01-15		
		Page:		1 of 14		

UN38.3 报告	
UN38.3 Test Report	

样品名称:	锂离子电池
Sample Name:	Lithium ion batteries
委托单位:	湖北亿纬动力有限公司
Applicant:	EVE POWER Co., Ltd.

	
GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER	

A51CCGDTW6

1. 本报告仅对送检样品负责。The results in this report are relevant only to the sample(s) tested.
2. 未经书面批准, 不得部分引述或复制本报告。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.

IQTC-APP-10-00-004



广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址：中国广东省广州市天河区珠江新城花城大道66号8座 邮编Postcode: 510623

Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, Guangdong, P.R.C

电话Tel: 020-22131000 邮箱Email: ppdc@iqtcnet.cn 网站Website: https://www.iqtcnet.cn

No: 01112300005127-1(E)

Date: 2024-01-15

Page: 2 of 14

检测证书

TEST REPORT

样品名称 Sample Name	锂离子电池 Lithium ion batteries		
型号 Model	MB31		
委托单位 Applicant	湖北亿纬动力有限公司 EVE POWER Co., Ltd.		
委托单位地址 Applicant Address	湖北省荆门市高新区·掇刀区荆南大道 68 号 No.68,Jingnan Avenue Hi-Tech Zone,Jingmen,Hubei, China		
生产单位 Manufacture	湖北亿纬动力有限公司 EVE POWER Co., Ltd.		
生产单位地址 Manufacture Address	湖北省荆门市高新区·掇刀区荆南大道 68 号 No.68,Jingnan Avenue Hi-Tech Zone,Jingmen,Hubei, China		
样品外观与性状 Appearance & Odor	蓝色方形外壳 Blue square shell		
测试方法和判定标准 Test method and criterion	联合国《关于危险货物运输的建议书 试验和标准手册》ST/SG/AC.10/11/Rev.7/Amend.1, 38.3 UNITED NATIONS "Recommendations on the TRANSPORT OF DANGEROUS GOODS", Manual of Tests and Criteria ST/SG/AC.10/11/Rev.7/Amend.1, 38.3		
接样时间 Accepted date	2023-12-08	测试日期 Test date	2023-12-08~2024-01-15
测试项目 Test items	高度模拟、温度试验、振动、冲击、外部短路、撞击、强制放电。 Altitude simulation, Thermal test, Vibration, Shock, External short circuit, Impact, Forced discharge.		
结论 Conclusion	经测试，该样品符合联合国《关于危险货物运输的建议书 试验和标准手册》ST/SG/AC.10/11/Rev.7/Amend.1, 38.3 标准要求。 The sample has passed the test items of UNITED NATIONS "Recommendations on the TRANSPORT OF DANGEROUS GOODS", Manual of Test and Criteria ST/SG/AC.10/11/Rev.7/Amend.1, 38.3.		
备注 Remark	1.随附 UN38.3 试验概要 (编号: 01112300005127-2(E))。 Attached with UN38.3 test summary (No.: 01112300005127-2(E)).		

批准

Approver:

陈路强

审核

Checker:

叶中群

主检

Appraiser:

周伟光

1. 本报告仅对送检样品负责。The results in this report are relevant only to the sample(s) tested.

2. 未经本机构书面同意，不得部分引述或复制本报告。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.



广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址: 中国广东省广州市天河区珠江新城花城大道66号B座 邮编Postcode: 510623

Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, Guangdong, P.R.C

电话Tel: 020-22131000 邮箱Email: ppdc@iqtcnet.cn 网址Website: https://www.iqtcnet.cn

No: 01112300005127-1(E)

Date: 2024-01-15

Page: 3 of 14

电池信息:

The battery information:

电池类型 Battery type	锂离子电池 Lithium ion batteries	标称电压 Nominal Voltage	3.2V
额定容量 Rated Capacity	314Ah	总能量 Total Energy	1004.8Wh
充电限制电压 Limited Charge Voltage	3.65V	标准充电电流 Standard Charge Current	157A
最大充电电流 Maximum Charge Current	314A	充电截止电流 Charge Cut-off Current	/
标准放电电流 Standard discharge Current	157A	最大放电电流 Maximum Discharge Current	314A
放电截止电压 Discharge Cut-off Voltage	2.5V	尺寸 Overall Dimensions	207.2mm(L) × 173.7mm(W) × 71.7mm(H)
电芯数量 Cell Quantity	105PCS	电芯型号 Cell Model	/
电芯容量 Cell Capacity	/	质量 Mass	5.6kg
电芯生产单位 Manufacturer of cell	/		

1. 本报告结果仅对测试样品负责。The results in this report are relevant only to the sample(s) tested.

2. 未经书面授权书许可, 不得部分引述或复制本报告。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.



广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址: 中国广东省广州市天河区珠江新城花城大道66号B座 邮编Postcode: 510623

Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, Guangdong, P.R.C

电话Tel: 020-22131000 邮箱Email: ppdc@iqtcnet.cn 网址Website: https://www.iqtcnet.cn

No: 01112300005127-1(E)

Date: 2024-01-15

Page: 4 of 14

序号 No.	测试项目名称 Name of test	标准要求或标准条款号 Stand requirement or the clause number of standard	测试结果 Test result	本项结论 Test conclusion	备注 Remark
1	高度模拟 Altitude simulation	联合国《关于危险货物运输的建议书 试验和标准手册》UN Manual of Tests and Criteria ST/SG/AC.10/11/ Rev.7/Amend.1, 38.3 试验 T.1 Test T.1	见附表 1 See Appendix 1	合格 Passed	/
2	温度试验 Thermal test	联合国《关于危险货物运输的建议书 试验和标准手册》UN Manual of Tests and Criteria ST/SG/AC.10/11/ Rev.7/Amend.1, 38.3 试验 T.2 Test T.2	见附表 2 See Appendix 2	合格 Passed	/
3	振动 Vibration	联合国《关于危险货物运输的建议书 试验和标准手册》UN Manual of Tests and Criteria ST/SG/AC.10/11/ Rev.7/Amend.1, 38.3 试验 T.3 Test T.3	见附表 3 See Appendix 3	合格 Passed	/
4	冲击 Shock	联合国《关于危险货物运输的建议书 试验和标准手册》UN Manual of Tests and Criteria ST/SG/AC.10/11/ Rev.7/Amend.1, 38.3 试验 T.4 Test T.4	见附表 4 See Appendix 4	合格 Passed	/
5	外部短路 External short circuit	联合国《关于危险货物运输的建议书 试验和标准手册》UN Manual of Tests and Criteria ST/SG/AC.10/11/ Rev.7/Amend.1, 38.3 试验 T.5 Test T.5	见附表 5 See Appendix 5	合格 Passed	/
6	挤压 Crush	联合国《关于危险货物运输的建议书 试验和标准手册》UN Manual of Tests and Criteria ST/SG/AC.10/11/ Rev.7/Amend.1, 38.3 试验 T.6 Test T.6	见附表 6 See Appendix 6	合格 Passed	/
7	过度充电 Overcharge	联合国《关于危险货物运输的建议书 试验和标准手册》UN Manual of Tests and Criteria ST/SG/AC.10/11/ Rev.7/Amend.1, 38.3 试验 T.7 Test T.7	见附表 7 See Appendix 7	不适用 Not applicable	/
8	强制放电 Forced discharge	联合国《关于危险货物运输的建议书 试验和标准手册》UN Manual of Tests and Criteria ST/SG/AC.10/11/ Rev.7/Amend.1, 38.3 试验 T.8 Test T.8	见附表 8 See Appendix 8	合格 Passed	/
测试环境 Test environment condition		环境温度: 20℃-25℃; 环境湿度: 45%-75% Ambient temperature: 20℃-25℃, Ambient humidity: 45%-75%			

1. 本报告仅供委托方使用, 不得用于其他目的。The results in this report are relevant only to the sample(s) tested.

2. 未经本机构书面同意, 不得部分引述或复制本报告。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.

2. UN38.3 试验概要



广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER

地址: 中国广东省广州市天河区珠江新城花城大道66号B座 邮编Postcode: 510623
Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, Guangdong, P.R.C.
电话Tel: 020-22131000 邮箱Email: ppde@iqtcnet.cn 网址Website: https://www.iqtcnet.cn

No: 01112300005127-2(E)
Date: 2024-01-15
Page: 1 of 1

UN38.3 试验概要

UN38.3 test summary

电池/电池组信息 Cell or Battery Information			
名称 Name	锂离子电池 Lithium ion batteries		
型号 Model	MB31	规格 Type	3.2V 314Ah 1004.8Wh
质量 Quality	5.6kg	形状 Shape	长方体/Cuboid
样品外观 Appearance	蓝色方形外壳 Blue square shell		
属于锂离子电池组, 瓦时数为 Belongs to Lithium ion battery, the Wh rating is			1004.8Wh
生产单位信息 Manufacturer Information			
生产单位 Manufacturer	湖北亿纬动力有限公司 EVE POWER Co., Ltd.		
地址 Address	湖北省荆门市高新区·掇刀区荆南大道 68 号 No.68 Jingnan Avenue Hi-Tech Zone, Jingmen, Hubei, China		
电话号码 Phone number	0724-6079686	电子邮箱 Email address	
网址 Website	www.evebattery.com		
试验实验室信息 Laboratory Information			
试验实验室 Laboratory	广州海关技术中心 GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER		
地址 Address	广东省广州市科学城南翔支路 1 号 C102 房 (汽车与装备检测研究所科学城) Room C102, No.1 Nanxiangzhi Road, Science City, Guangzhou, Guangdong, China (Institute of Automobile and Equipment Testing in Science City)		
电话号码 Phone number	+86-20-38669019-811	电子邮箱 Email address	battery@iqtcnet.cn
网址 Website	www.iqtcnet.cn		
UN38.3 试验项目和结果 UN38.3 Test conducted and results			
检测报告编号 Test report No.	01112300005127-1(E)	检测报告日期 Date of test report	2024-01-15
试验和标准手册版本号/修订版 Manual of Test and Criteria version / amendment	ST/SG/AC.10/11/ Rev.7/Amend.1, 38.3		
试验项目 Test Items	合格 Pass	失败 Fail	关于组合电池的试验要求 Reference to assembled battery testing requirement
☒ T.1 高度模拟 Altitude simulation	☒	☐	☒ 不适用 Not applicable
☒ T.2 温度试验 Thermal test	☒	☐	☐ 适用于 38.3.3(f) Applicable to 38.3.3 (f)
☒ T.3 振动 Vibration	☒	☐	☐ 适用于 38.3.3(g) Applicable to 38.3.3 (g)
☒ T.4 冲击 Shock	☒	☐	备注 Remark: 此试验概要的检测 检测结果仅对送检样品有效。 The test results of this summary are only valid for the test samples submitted the applicant.
☒ T.5 外部短路 External short circuit	☒	☐	
☒ T.6 撞击 Impact/挤压 Crush	☒	☐	
☐ T.7 过度充电 Overcharge	☐	☐	
☒ T.8 强制放电 Forced discharge	☒	☐	
签名及职务 Signature & Title	陆路强 副所长 Deputy Director		检验检测专用章 签发日期 (16) Issued date 2024-01-15

1. 本报告只对所送样品负责。The results in this report are relevant only to the sample(s) tested.

2. 未经书面授权不得随意传播、引用或用于其他目的。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.

3. 本报告数据、结论仅作为委托方内部使用。本报告不具有法律证明作用。The report is not legally binding and could only be used as internal reference material for the applicant. It shall not be provided as a notarial certification.

301TC-GP-10-09-002

3. 危险特性分类鉴别报告

广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址：中国广州市天河区珠江新城花城大道66号B座
网址：www.lqtenet.cn 邮编：510623
Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China
Website: www.lqtenet.cn Postcode: 510623

编号：01112300005127-3
日期：2024年01月15日
页码：共3页，第1页

危险特性分类鉴别报告

申报品名	锂离子电池		
产品型号	MB31		
委托单位	湖北亿纬动力有限公司		
生产单位	湖北亿纬动力有限公司		
样品外观与性状	蓝色方形外壳		
测试方法和判定标准	联合国《关于危险货物运输的建议书 规章范本》(第二十三修订版)		
鉴定结论	危险品		
主要危险性	杂项危险物品		
次要危险性	无		
运输专用名称	锂离子电池	危险性类别	9
联合国编号	UN 3480	包装导则	P903
接样时间	2023年12月08日	测试日期	2023年12月08日~2024年01月15日
备注	1、本证书有效期为签发日起壹年； 2、检验结果仅对样品有效； 3、是否属于《危险化学品目录》(2015版)列明的化学品：否； 4、是否符合《危险化学品目录》(2015版)中关于“危险化学品”的定义和确定原则：否。		
 G26KXWW6XJ			

1. 本报告仅对来样负责，检验项目或数量以委托单为准。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.
2. 本报告仅供内部参考，不得作为法律依据。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.

10TC-02-00-018

广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址: 中国广州市天河区珠江新城花城大道66号B座
 网址: www.iqtenet.cn 邮编: 510623
 Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China
 Website: www.iqtenet.cn Postcode: 510623

编号: 01112300005127-

日期: 2024年01月15

页码: 共3页, 第2页

标准条款	标准要求	鉴定结果
188(a)	对于锂金属电池或锂合金电池, 锂含量不超过1克, 对于锂离子电池, 瓦特-小时的额定值不超过20Wh。	不适用
188(b)	对于锂金属电池或锂合金电池组, 合计锂含量不超过2克, 对于锂离子电池组, 瓦特-小时的额定值不超过100Wh。 (备注: 充电电流: 157A, 充电限制电压: 3.65V; 放电电流: 157A, 放电终止电压: 2.5V。)	实测值: >100Wh
188(c)	每个电池或电池组都是经证明符合《试验和标准手册》第三部分第38.3节中的每项试验的要求的型号。	符合要求, 详细结果见 UN38.3 检测报告 (报告编号: 01112300005127-1(E))

1. 本报告结果仅对测试工作、检验项目或检验批次负责。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.
 2. 未经本机构书面同意, 不得部分引述或复制本报告。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.

IQTC-67-16-08-013

广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER




地址: 中国广州市天河区珠江新城花城大道66号B座
网址: www.lqtenet.cn 邮编: 510623
Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China
Website: www.lqtenet.cn Postcode: 510623

编号: 01112300005127-3
日期: 2024年01月15日
页码: 共3页, 第3页

样品图片

电池正面外观



电芯标签



* * * * 报告结束 * * * *

1. 本报告格式为统一标准, 数据项目或检测批次负责。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.
2. 未经本局批准, 不得将本报告内容复制或再行发布。Without written permission of INTC, this report shall not be quoted or reproduced except in full.

39TC-01-03-012

4. MSDS

 **广州海关技术中心**
GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER

地址: 中国广东省广州市天河区珠江新城花城大道66号B座 邮编Postcode: 510623
Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, Guangdong, P.R.C.
电话Tel: 020-22131000 邮箱Email: ppdc@iqtc.net.cn 网址Website: https://www.iqtc.net.cn

No: 01112300005127-4(E)
Date: 2024-01-15
Page: 1 of 14

材料安全数据表

Material Safety Data Sheet

样品名称: 锂离子电池

Sample Name: Lithium ion batteries

委托单位: 湖北亿纬动力有限公司

Applicant: EVE POWER Co., Ltd.



H25PKPQ701


GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER

1. 本报告结果仅对测试样品负责。The results in this report are relevant only to the sample(s) tested.
2. 未经签发机构书面同意, 不得部分引述或复制本报告。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.
3. 本报告数据, 结果仅限定为委托方内部使用, 不作为社会证明等用。The report is not legally binding and could only be used as internal reference material for the applicant.
It shall not be provided as a notarial certification.

10TC-GP-15-03-008



广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER

地址：中国广东省广州市天河区珠江新城花城大道66号B座 邮编Postcode: 510623

Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, Guangdong, P.R.C.

电话Tel: 020-22131000 邮箱Email: ppde@iqtcnet.cn 网址Website: https://www.iqtcnet.cn

No: 01112300005127-4(E)

Date: 2024-01-15

Page: 2 of 14

材料安全数据表

Material Safety Data Sheet

1. 化学品及企业标识

Chemical Product And Company Identification

货物名称 Goods name	锂离子电池 Lithium ion batteries
样品型号 Sample Model	MB31
委托单位 Applicant	湖北亿纬动力有限公司 EVE POWER Co., Ltd.
委托单位地址 Applicant Address	湖北省荆门市高新区·掇刀区荆南大道 68 号 No.68,Jingnan Avenue Hi-Tech Zone,Jingmen,Hubei, China
生产单位 Manufacture	湖北亿纬动力有限公司 EVE POWER Co., Ltd.
生产单位地址 Manufacture Address	湖北省荆门市高新区·掇刀区荆南大道 68 号 No.68,Jingnan Avenue Hi-Tech Zone,Jingmen,Hubei, China
应急电话 Emergency telephone call	0724-6079686

2. 危险性概述

Hazards Identification

物品危险分类 Hazard label	 No.9A 危险性标签 No.9A hazard label
爆炸危险性 Explosive risk	该物品不属于爆炸危险品 This article does not belong to the explosion dangerous goods
易燃危险性 Flammable risk	该物品不属于易燃危险品 This article does not belong to the flammable material
氧化危险性 Oxidation risk	该物品不属于氧化危险品 This article does not belong to the oxidation of dangerous goods
毒害危险性 Toxic risk	该物品不属于毒害危险品 This article does not belong to the toxic dangerous goods
放射危险性 Radioactive risk	该物品不属于放射危险品 This article does not belong to the radiation of dangerous goods
腐蚀危险性 Mordant risk	该物品不属于腐蚀危险品 This article does not belong to the corrosion of dangerous goods
其他危险性 other risk	该电池属于锂离子电池 Product belong to the Lithium ion batteries

1. 本报告结果仅对所送样品负责。The results in this report are relevant only to the sample(s) tested.

2. 未经书面允许不得复制或再行传播。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.

3. 本报告数据、结果仅作为委托方内部使用，不作为社会证明作用。The report is not legally binding and could only be used as internal reference material for the applicant. It shall not be provided as a notarial certification.

30TC-02P-15-00-002

5. 空运证书

广州海关技术中心
GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER

地址: 中国广州市天河区珠江新城花城大道66号B座
网址: www.lqtcnet.cn 邮编: 510623
Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China
Website: www.lqtcnet.cn Postcode: 510623

CNAS
中国合格评定
国家认可委员会
INSPECTION
CNAS 86611

No: 01112300005127-6(E)
Date: 2024-01-15
Page: 1 of 6

 **空运**
By Air

 **危险品**

货物运输条件鉴定书
Certification for Safe Transport of Goods

锂电池—符合包装说明 965 第 IA 部分
Lithium Ion Batteries—Applies to Section IA of Packing Instruction 965

样品名称:	锂离子电池
Sample Name:	Lithium ion batteries
委托单位:	湖北亿纬动力有限公司
Applicant:	EVE POWER Co., Ltd.


MNIB2MOJM


广州海关技术中心
GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER

1. 本报告结果仅对预定工作、检验项目或检验批次负责。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.
2. 未经本局批准不得引用、复制或再行发布。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.

19TC-QP-40-06-01.0

广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址: 中国广州市天河区珠江新城花城大道66号B座

网址: www.lqtenet.cn 邮编: 510623

Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China

Website: www.lqtenet.cn Postcode: 510623

No: 01112300005127-6(E)

Date: 2024-01-15

Page: 2 of 6

货物运输条件鉴定书

Certification for Safe Transport of Goods

货物名称 Goods Name	锂离子电池 Lithium ion batteries					
型号 Model	MB31					
委托单位 Applicant	湖北亿纬动力有限公司 EVE POWER Co., Ltd.					
生产单位 Manufacturer	湖北亿纬动力有限公司 EVE POWER Co., Ltd.					
检查方法、程序 Inspection Method and Procedures	国际航空运输协会《危险品规则》65 版 IATA Dangerous Goods Regulations (DGR) 65th Edition					
样品外观 Sample Appearance	蓝色方形外壳 Blue square shell					
包装件信息 Package Information	电池数量 Quantity	4 个 4PCS	净数量 Net quantity	22.4kg	尺寸 Size	420mm*300mm*250mm
电池信息 Battery Information	序号 No.	类型 Type	型号 Model	瓦特-小时额定值 Watt-hour rating	放置方式 Placement	
	1	锂离子电池 Lithium ion batteries	MB31	1004.8Wh	只有电池 Battery only	
鉴定结论 Identification Conclusion	1. 危险性识别(Hazards identification): 第 9 类杂项危险物质/ class or division is 9. 2. 按照国际航空运输协会《危险品规则》办理类项(Suggestion according to IATA DGR) 该物品满足包装说明 965 基本要求和第 IA 部分的规定。 The goods meet the requirements in General Requirements and section IA of Packaging Instruction 965 运输专用名称: 锂离子电池 Proper shipping name: Lithium ion batteries UN NO.: UN 3480. 危险类别: 第 9 类 Class or division : 9 3. 包装要求(Packaging requirements): 根据包装说明 965-IA 部分办理, 仅限货机。 The goods are packaged according to the packaging instruction 965 section IA, Cargo Aircraft only. 检查日期(Inspection date): 2023-12-08~2024-01-15 签发日期(Valid date): 2024-01-15 报告有效期(Period of validity): 2024-01-15~2024-12-31					
备注 Remark	每个包装件应贴有 No.9A 危险性标签和仅限货机标签。 Each package must be labelled with a No.9A hazard label and cargo aircraft only label.					

批准

Approver:

陆路强

审核

Checker:

叶中群

主检

Appraiser:

周伟光

广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址：中国广州市天河区珠江新城花城大道66号B座

网址：www.iqtcnet.cn 邮编：510623

Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China

Website: www.iqtcnet.cn Postcode: 510623

No: 01112300005127-6

Date: 2024-01-15

Page: 3 of 6

货物运输条件鉴定书

Certification for Safe Transport of Goods

图片/Photo	
包装正面外观 Front appearance of Packaging 	包装侧面外观 Side appearance of Packaging 
内包装（防止短路，防移位保护措施） Inner packagings (protection against short circuit and displacement) 	
UN 号，包装等级，9A 号标签，仅限货机标签 UN NO., packing group, 9A label, Cargo aircraft only label 	

1. 本鉴定书仅对鉴定工作、物项项目或批次负责。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.
2. 未经签发机构书面同意，不得部分引述或复制本报告。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.


广州海关技术中心
GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址：中国广州市天河区珠江新城花城大道66号B座
网址：www.iqtcnet.cn 邮编：510623
Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China
Website: www.iqtcnet.cn Postcode: 510623

No: 01112300005127-6(E)
Date: 2024-01-15
Page: 4 of 6

货物运输条件鉴定书
Certification for Safe Transport of Goods

图片/Photo	
电池正面外观 Battery front appearance 	电池侧面外观 Battery side appearance 
电池铭牌(含 Wh) Battery nameplate (With Wh) 	

1. 本报告结果仅对预定工作、检验项目或检验批次负责。The results in this report are relevant only to the work ordered or the firm(s) or the lot inspected.
2. 未经授权不得将报告内容外传。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.

广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址: 中国广州市天河区珠江新城花城大道66号B座
 网址: www.iqtenet.cn 邮编: 510623
 Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China
 Website: www.iqtenet.cn Postcode: 510623

No: 01112300005127-6(E)

Date: 2024-01-15

Page: 5 of 6

货物运输条件鉴定书

Certification for Safe Transport of Goods

序号 No.	检查结果及其他事项 Inspection results and other things
1	客户声明 Consignor announcement: 本报告所述锂电池无明显安全缺陷, 不属于因安全原因召回的锂电池; Lithium cells and batteries listed in this report have no significant defect, and they are not the defective cells or batteries returned to the manufacturer for safety reasons. 本报告所述锂电池不进行以回收或处置为目的的航空运输, 不属于废弃锂电池; Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipped for recycling or disposal from air transport. 本报告所述锂电池按照《危险品规则》3.9.2.6.1(e)规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management programmer as described in DGR 3.9.2.6.1(e). 提供用于空运的锂电池所带的电量不可超过额定容量的 30%。 Lithium ion cells and batteries must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated design.
2	本报告所述锂电池已通过联合国《试验和标准手册》第 III 部分 38.3 小节相应测试要求 (证书编号: 01112300005127-1(E), UN38.3 试验概要: 01112300005127-2(E))。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3 (Test Report No.: 01112300005127-1(E), UN38.3 test summary: 01112300005127-2(E)). 包装件的净数量不超过 35kg Packages of net quantity not exceeding 35kg
3	锂电池完全封装在内包装内, 位于坚固的外包装中, 电池具有适当的防短路措施。 Lithium cells and batteries are packed in inner packaging's that completely enclose the cell or battery and placed in a strong outer packaging. Cells and batteries are properly protected to prevent short circuits.
4	电池芯和电池不可与第 1 类爆炸品 (1.4S 项除外), 2.1 项易燃气体, 第 3 类易燃液体, 4.1 项易燃固体或 5.1 项氧化性物质的危险品放入同一个外包装中。 Cells and batteries must not be packed in the same outer packaging with dangerous goods classified in Class 1 (explosives) other than Division 1.4S, Division 2.1 (flammable gases), Class 3 (flammable liquids), Division 4.1 (flammable solids) or Division 5.1 (oxidizers). 电池芯和电池的包装件不可与第 1 类爆炸品 (1.4S 项除外), 2.1 项, 第 3 类, 4.1 项或 5.1 项危险品的包装件放入同一个 Overpack 中。 Packages containing cells or batteries must not be placed in an overpack with packages containing dangerous goods classified in Class 1 other than Division 1.4S, Division 2.1, Class 3, Division 4.1 or Division 5.1.
5	电池重量大于等于 12 kg 并有坚固耐冲击的外壳, 并且装在保护性外壳中 (例如木板箱) 可以运输并且不受第六章的管制, 如果有产地国的豁免。豁免文件必须放在货物当中。 Batteries with a weight of 12 kg or greater and having a strong, impact-resistant outer casing, or assemblies of such batteries, may be transported when packed in strong outer packaging's or protective enclosures (e.g. in fully enclosed or wooden slated crates) not subject to the requirements of Section 6 of these Regulation, if approved by the appropriate authority of the State of origin. A copy of the document of approval must accompany the consignment
6	2011 年 12 月 31 日后制造的电池要在外包装上标明瓦时-小时的额定值。 Batteries manufacture after 31 December 2011 must be marked with the Watt-hour rating on outside case.
备注 Remark	适用于空运。 Be applicable to transport by air.

1. 本鉴定书仅对鉴定工作, 检验项目或检验批次负责。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.
 2. 未经鉴定机构书面同意, 不得部分引述或复制本报告。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.

JGTC-007-10-00-012

6. 海运证书

广州海关技术中心 GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER		CNAS 中国合格评定 国家认可委员会 INSPECTION CNAS 00411
地址: 中国广州市天河区珠江新城华城大道66号B座 网址: www.iqtcnet.cn 邮编: 510623 Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China Website: www.iqtcnet.cn Postcode: 510623		No: 01112300005127-7(E) Date: 2024-01-15 Page: 1 of 6
海运 By Sea 危险货物		
货物运输条件鉴定书 Certification for Safe Transport of Goods		
第九类危险品 Dangerous Goods Class 9		
货物名称:	锂离子电池	
Goods Name:	Lithium ion batteries	
委托单位:	湖北亿纬动力有限公司	
Applicant:	EVE POWER Co., Ltd.	
 T6SJCAVV6Q		
广州海关技术中心 GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER		

1. 本报告结果仅对委托工程、检测项目负责, 不作为其他用途的依据。 The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.
2. 未经本中心书面同意, 不得部分引述或复制本报告。 Without written permission of IQTC, this report shall not be quoted or reproduced except in full.

30TC-02P-16-03-013

广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址: 中国广州市天河区珠江新城花城大道66号B座
网址: www.iqtenet.cn 邮编: 510623
Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China
Website: www.iqtenet.cn Postcode: 510623

No: 01112300005127-7(E)

Date: 2024-01-15

Page: 2 of 6

货物运输条件鉴定书

Certification for Safe Transport of Goods

货物名称 Goods Name		锂离子电池 Lithium ion batteries					
型号 Model		MB31					
委托单位 Applicant		湖北亿纬动力有限公司 EVE POWER Co., Ltd.					
生产单位 Manufacturer		湖北亿纬动力有限公司 EVE POWER Co., Ltd.					
检查方法、程序 Inspection Method and Procedure		国际海事组织《国际海运危险货物规则》(41-22版) IMO International Maritime Dangerous Goods Code (41-22 Edition)					
样品外观 Sample Appearance		蓝色方形外壳 Blue square shell					
包装件信息 Package Information		电池数量 Quantity	4个 4PCS	重量 Weight	23.4kg	尺寸 Size	420mm*300mm*250mm
电池信息 Battery Information	序号 No.	类型 Type	型号 Model		瓦特-小时额定值 Watt-hour rating	放置方式 Placement	
	1	锂离子电池 Lithium ion batteries	MB31		1004.8Wh	只有电池 Battery only	
鉴定结论 Identification Conclusion		1. 危险性识别(Hazards identification): 第9类杂项危险物质/ class or division is 9. 2. 按照《国际海运危险货物规则》办理类项(Suggestion according to IMDG Code) 按危险货物条件办理。According to the conditions of Dangerous cargo handled. 运输专用名称: 锂离子电池。 Proper shipping name: Lithium ion batteries. UN NO.: UN 3480. 危险类别: 第9类					

批准

Approver:

陆路强

审核

Checker:

叶中群

主检

Appraiser:

周伟光

1. 本报告仅对委托工作、检验项目或检验批次负责。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.
2. 未经签发机构书面同意, 不得将报告引述或复制本报告。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.

IQTC-QP-16-09-013

广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址：中国广州市天河区珠江新城花城大道66号8座

网址：www.igtcnet.cn 邮编：510623

Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China

Website: www.igtcnet.cn Postcode: 510623

No: 01112300005127-

Date: 2024-01-15

Page: 3 of 6

货物运输条件鉴定书

Certification for Safe Transport of Goods

图片/Photo

包装正面外观
Front appearance of Packaging包装侧面外观
Side appearance of Packaging内包装 (防止短路, 防移位保护措施)
Inner packagings (protection against short circuit and displacement)锂电池标记
Lithium battery mark

1. 本报告结果仅对提交工作、检测项目或检测批次负责。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.
2. 未经签发机构书面同意, 不得将报告引述或复制本报告。Without written permission of IGTC, this report shall not be quoted or reproduced except in full.

IGTC-QP-16-08-013

广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址: 中国广州市天河区珠江新城花城大道66号B座
网址: www.lqtenet.cn 邮编: 510623
Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China
Website: www.lqtenet.cn Postcode: 510623

No: 01112300005127-7(E)

Date: 2024-01-15


Page: 4 of 6

货物运输条件鉴定书

Certification for Safe Transport of Goods

图片/Photo

电池正面外观
Battery front appearance



电池侧面外观
Battery side appearance



电池铭牌(含 Wh)
Battery nameplate (With Wh)



1. 本鉴定书仅对鉴定工作、检验项目或检验批次负责。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.
2. 未经授权机构擅自同意, 不得部分引述或复制本报告。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.

18TC-QP-15-03-012

广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址: 中国广州市天河区珠江新城花城大道66号B座
 网址: www.lqtenet.cn 邮编: 510623
 Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China
 Website: www.lqtenet.cn Postcode: 510623

No: 01112300005127-70

Date: 2024-01-15

Page: 5 of 6

货物运输条件鉴定书

Certification for Safe Transport of Goods

序号 No.	检查结果及其他事项 Inspection results and other things
1	本报告所述锂电池已通过联合国《试验和标准手册》第 III 部分 38.3 小节相应测试要求 (证书编号: 01112300005127-1(E), UN38.3 试验概要: 01112300005127-2(E))。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3 (Test Report No.: 01112300005127-1(E), UN38.3 test summary: 01112300005127-2(E)).
2	本报告所述锂电池按照《国际海运危险货物运输规则》2.9.4 (5) 规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management programmer as described in IMDG Code 2.9.4(5).
3	电池和电池组, 除安装在设备上的之外, 应使用内容器包装, 将电池和电池组完全包裹。应保护电池和电池组防止发生短路。 Cells and batteries, except when installed in equipment, shall be packed in inner packagings that completely enclose the cell or battery. Cells and batteries shall be protected so as to prevent short circuits.
4	锂电池有适当的保护措施防止其在包装件内移位。 Cells and batteries are properly protected so as to secure against movement within the outer package.
5	每个包装件必须使用 No.9A 危险性标签。 Each package must be labelled with the No.9A hazard label.
6	2011年12月31日后生产的蓄电池须在外壳标记瓦特-小时的额定值。 Batteries manufacture after 31 December 2011 must be marked with the Watt-hour rating on outside case.
备注 Remark	适用于海运。 Be applicable to transport by sea.

1. 本报告仅对送检样品负责, 检测结果仅供参考。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.
 2. 未经本局书面同意, 不得将本报告内容复制或再行发布。Without written permission of IGTC, this report shall not be quoted or reproduced except in full.

7. 陆运证书

广州海关技术中心
GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER

地址: 中国广州市天河区珠江新城花城大道66号B座
网址: www.iqtenet.cn 邮编: 510623
Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China
Website: www.iqtenet.cn Postcode: 510623

CNAS 中国合格评定
国家认可委员会
INSPECTION
CNAS 80411

No: 01112300005127-8(E)
Date: 2024-01-15
Page: 1 of 6



陆运
By Road



货物运输条件鉴定书
Certification for Safe Transport of Goods

第九类危险品
Dangerous Goods Class 9

样品名称: 锂离子电池

Sample Name: Lithium ion batteries

委托单位: 湖北亿纬动力有限公司

Applicant: EVE POWER Co., Ltd.



UFCJ15VGKB

广州海关技术中心
检验检测专用章

广州海关技术中心
GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER

1. 本报告书仅对预定工作、检验项目或检验状态负责。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.
2. 本报告书版权归本所所有, 不得部分引述或复制本报告。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.

10TC-01-110-03-013

广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址: 中国广州市天河区珠江新城花城大道66号8座
网址: www.iqtenet.cn 邮编: 510623
Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China
Website: www.iqtenet.cn Postcode: 510623

No: 01112300005127-8(E)

Date: 2024-01-15

Page: 2 of 6

货物运输条件鉴定书

Certification for Safe Transport of Goods

货物名称 Goods Name	锂离子电池 Lithium ion batteries				
型号 Model	MB31				
委托单位 Applicant	湖北亿纬动力有限公司 EVE POWER Co., Ltd.				
生产单位 Manufacturer	湖北亿纬动力有限公司 EVE POWER Co., Ltd.				
检查方法、程序 Inspection Method and Procedure	联合国《关于危险货物运输的建议书 规章范本》(第二十三修订版) UNITED NATIONS Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations (Rev. 23)				
样品外观 Sample Appearance	蓝色方形外壳 Blue square shell				
包装件信息 Package Information	电池数量 Quantity	4个 4PCS	重量 Weight	23.4kg	尺寸 Size 420mm*300mm*250mm
电池信息 Battery Information	序号 No.	类型 Type	型号 Model	额定瓦时值 Watt-hour Rating	放置方式 Placement
	1	锂离子电池 Lithium ion batteries	MB31	1004.8Wh	只有电池 Battery only
鉴定结论 Identification Conclusion	危险性识别(Hazards identification): 第9类杂项危险物质/ class or division is 9. 2. 按照联合国《关于危险货物运输的建议书 规章范本》特殊规定。 According to the special provisions of TDG 按危险货物条件办理。According to the conditions of Dangerous cargo handled. 运输专用名称: 锂离子电池。 Proper shipping name: Lithium ion batteries. UN NO.: UN 3480 危险类别: 第9类 Class or division: 9 3. 包装要求(Packaging requirements): 根据包装导则 P903 办理。 The goods are packaged according to the packaging instruction P903. 检查日期(Inspection date): 2023-12-08~2024-01-15 签发日期(Valid date): 2024-01-15 报告有效期(Period of validity): 2024-01-15~2024-12-31				
备注 Remark	每个包装件必须贴有锂电池标记。 Each package must be labelled with a lithium battery mark.				

批准

Approver:

陆路强

审核

Checker:

叶中軒

主检

Appraiser:

周伟光

1. 本鉴定书仅供特定工作, 数据项目或结论仅供参考。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.
2. 未经本机构书面同意, 不得部分引述或复制本报告。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.

IQTC-QP-16-01-013

广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址: 中国广州市天河区珠江新城花城大道66号B座
 网址: www.lqtenet.cn 邮编: 510623
 Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China
 Website: www.lqtenet.cn Postcode: 510623

No: 01112300005127-8(E)

Date: 2024-01-15

Page: 3 of 6

货物运输条件鉴定书

Certification for Safe Transport of Goods

图片/Photo


包装正面外观
Front appearance of Packaging



包装侧面外观
Side appearance of Packaging



内包装 (防止短路, 防移位保护措施)
Inner packagings (protection against short circuit and displacement)



锂电池标记
Lithium battery mark



1. 本报告结果仅针对预定工作, 勘验样品或检验批次负责。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.
 2. 未经本机构书面同意, 不得部分引述或复制本报告。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.

IQTC QP-16-03-013

广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址: 中国广州市天河区珠江新城花城大道66号B座

网址: www.igtcnet.cn 邮编: 510623

Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China

Website: www.igtcnet.cn Postcode: 510623

No: 01112300005127-S(E)

Date: 2024-01-15


Page: 4 of 6

货物运输条件鉴定书

Certification for Safe Transport of Goods

图片/Photo

电池正面外观
Battery front appearance



电池侧面外观
Battery side appearance



电池铭牌(含 Wh)
Battery nameplate (With Wh)



1. 本报告结果仅对鉴定工作、检验项目或检验批次负责。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.
2. 未经本局批准书面同意, 不得部分引述或复制本报告。Without written permission of IGTC, this report shall not be quoted or reproduced except in full.

广州海关技术中心

GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER



地址：中国广州市天河区珠江新城花城大道66号8座

网址：www.iqtenet.cn 邮编：510623

Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, China

Website: www.iqtenet.cn Postcode: 510623

No: 01112300005127-8(E)

Date: 2024-01-15

Page: 5 of 6

货物运输条件鉴定书

Certification for Safe Transport of Goods

序号 No.	检查结果及其他事项 Inspection results and other things
1	本报告所述锂电池已通过联合国《试验和标准手册》第 III 部分 38.3 小节相应测试要求（证书编号：01112300005127-1(E), UN38.3 试验概要：01112300005127-2(E)）。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3 (Test Report No.: 01112300005127-1(E), UN38.3 test summary: 01112300005127-2(E)).
2	本报告所述锂电池按照联合国《关于危险货物运输的建议书 规章范本》规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management programmer as described in TRANSPORT OF DANGEROUS GOODS Model Regulations.
3	锂电池具有适当的防短路措施。 Cells and batteries are properly protected so as to prevent short circuits.
4	锂电池有适当的保护措施防止其在包装件内移位。 Cells and batteries are properly protected so as to secured against movement within the outer package.
5	每个包装件必须使用No.9A危险性标签。 Each package must be labelled with the No.9A hazard label.
6	2011年12月31日后生产的蓄电池须在外包装标记瓦特-小时比率。 Batteries manufacture after 31 December 2011 must be marked with the Watt-hour rating on outside case.
备注 Remark	适用于陆运。 Be applicable to transport by road

1. 本报告结果仅对预定工作、检验项目或检验批次负责。The results in this report are relevant only to the work ordered or the item(s) or the lot inspected.

2. 未经书面批准不得将本报告内容复制或再行发布。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.

IQTC-QP-16-00-012

8. 危险信息公示标签审核报告



广州海关技术中心
GUANGZHOU CUSTOMS DISTRICT TECHNOLOGY CENTER

地址：中国广东省广州市天河区珠江新城花城大道66号B座 邮编Postcode: 510623
Add.: Tower B, No.66 Huacheng Avenue, Zhujiang Xincheng, Tianhe District, Guangzhou, Guangdong, P.R.C.
电话Tel: 020-82131000 邮箱Email: ppde@iqtcnet.cn 网址Website: https://www.iqtcnet.cn

编号: 01112300005127-5
日期: 2024年01月15日
页码: 共1页, 第1页

审核报告
(危险信息公示标签)

申请人: 湖北亿纬动力有限公司
地址: 荆门高新区·掇刀区荆南大道68号
样品名称: 锂离子电池
型号: MB31
接样日期: 2023年12月08日

样品图片:

锂离子电池 Lithium-ion Cell 危险: 9类杂项危险货物 说明: 有起火、爆炸、剧烈燃烧的危险; 用二氧化碳或水给燃烧的电池灭火 Dangerous: Class 9 miscellaneous dangerous goods; Notes: Fire explosion and severe burn hazard; Use CO2 or water to extinguish the burning batteries 制造商: 湖北亿纬动力有限公司 Manufacturer: EVE POWER Co., Ltd.	 UN3480 应急电话: +86-0724-6079688
---	--

GB/T 15258-2009

审核依据: 联合国《关于危险货物运输的建议书 规章范本》(第二十三修订版)
《全球化学品统一分类和标签制度》(第十修订版)

审核结果: 经审核, 申请人提供的危险信息公示标签符合规定要求。

备注: 本报告须与危险特性分类鉴别报告(证书编号: 01112300005127-3)和审核后的危险信息公示标签同时使用方为有效。



PVKNP0SJJD

检验检测专用章 (16)

报告批准人: 陆玲强

*** 审核结果 ***

1. 本报告结果仅对所送样品负责。The results in this report are relevant only to the sample(s) tested.
2. 未经本机构书面同意, 不得部分引述或复制本报告。Without written permission of IQTC, this report shall not be quoted or reproduced except in full.
3. 本报告数据, 结果仅限定为委托方内部使用, 不具有社会公证作用。The report is not legally binding and could only be used as internal reference material for the applicant. It shall not be provided as a notarial certification.

IQTC-GT-16-09-092

27